



"Preserving Our Past, Enriching Our Present, Building Our Future"

33 Broadway, Jackson, California 95642-2301 • voice (209) 223-1646 • fax (209) 223-3141
E-mail: cinfo@ci.jackson.ca.us • Web site: <http://ci.jackson.ca.us>

ENCROACHMENT PERMIT REGULATIONS

Information Handout Sheet

(Note: This sheet is to be retained by applicant and accompany the issued permit)

- 1. Notify Underground Service alert (1.800.642.2444) and City of Jackson (209.223.1646) at least 48 hours prior to starting any work in or out of public right of way.**
- 2. All pavement shall be saw cut. Tack coat all pavement edges immediately prior to paving. Paving material shall be 1/2-inch maximum medium graded Class B asphalt concrete mixed and placed in accordance with the requirements of Section 39 of the State of California Department of Transportation.**
- 3. Traffic control and signing shall comply with the "Manual of Traffic Controls".**
- 4. Whenever work encroaches onto the street or traveled way such that less than 20-feet of pavement width is usable by traffic, Permittee shall provide two flagmen whose sole duty shall be traffic control. Flagmen shall be furnished all necessary equipment and instructed in traffic control procedures indicated in the "Manual of Traffic Controls for Construction and Maintenance Work Zones".**
- 5. Materials, soil pipes, equipment and supplies in the right of way after working hours shall be stored at least 15-feet from street centerline and shall be adequately marked with cones and flasher type barricades.**
- 6. All trenches shall be backfilled and all streets and sidewalks shall be swept clean at the end of each working day. All trenches shall be finish paved or protected with temporary asphalt (cold mix) paving. Streets and sidewalks shall be fully opened for traffic unless written permission is obtained from the City Engineering Department.**
- 7. If permit is for construction of pipeline or its appurtenances, the contractor is required to have in his possession a General Engineering (Class A) license or equal. Permittee shall provide a written cost estimate of work and contractor's liability insurance with a minimum \$1,000,000 naming the City as additionally insured on the policy. Compaction tests may be required before applying permanent paving to street. Surety may also be a requirement for this permit.**



"Preserving Our Past, Enriching Our Present, Building Our Future"

33 Broadway, Jackson, California 95642-2301 • voice (209) 223-1646 • fax (209) 223-3141
E-mail: cinfo@ci.jackson.ca.us • Web site: http://ci.jackson.ca.us

APPLICATION FOR ENCROACHMENT PERMIT
To perform work or encroach on a City Street, Easement, or Property

To: CITY OF JACKSON
33 Broadway
Jackson, CA 95642

Date: _____

Applicant's/Contractor's Name: _____

Address: _____ Phone No: _____

Cost Estimate of Work: \$ _____

The applicant hereby applies for permission to excavate, construct, and/or otherwise encroach on a City street, right of way, easement or property, by performing the following work:

LOCATION OF ENCROACHMENT:

TYPE OF ENCROACHMENT:

Excavation _____
UG Utility _____
Obstruction _____
Water/Sewer _____
Road/Driveway _____
Other (explain) _____

Sketch in Space Below: (Submit plans if available)

Estimated starting date: _____

Estimated completion date: _____

The applicant agrees to do the work proposed in accordance with the accompanying conditions and regulations regarding encroachments.

Signature of Applicant

City of Jackson

Permit to Encroach

33 Broadway
Jackson, CA 95642
209-223-1646

PERMIT NO.:
Inspection Fee: \$0.00
Permit Fee: \$40.00
Total: \$0.00
Date:

The City of Jackson, State of California, having received an application therefore, hereby authorizes and grants a revocable license to:

Name:
Address:

Telephone:

to perform work, construction and/or otherwise encroach upon the city street, easement or property as described below, in accordance with the City of Jackson Encroachment Ordinance and General and Specific Provisions.

Location of Encroachment:	Type of Encroachment
	Excavation
	Obstruction
	UG Utility
	Access Road
	Other (Explain fully)

The sketch and/or detailed plans (as approved by the City) that accompanied the Application, are hereby made a part of this permit.

Note: Conditions on page 2 shall be strictly enforced or permit is void.

For and in consideration of the granting of said permit, the applicant promises and agrees to comply with all provisions, terms, conditions, and restrictions set forth in the above mentioned General and/or Special Provisions regulating work performed.

Duration of Permit: From:
Surety Company:
Surety Number

To:
Surety N/A
Amount:
Permittee:

City of Jackson

Gary Urzik, Engineering Technician

Maintain one open lane of traffic at all times during construction. If necessary to completely close off street, notify Terry Watson, Department of Public Works; Mark Morton, Fire Chief, and Scott Morrison, Police Chief. **Requires 24 Hour Notice. Applicant to notify Underground Service Alert 48 hours prior to excavation.

PERMIT No. **CONDITIONS**

1. Any damaged underground piping shall be repaired to the satisfaction of the City inspector or the respective utility company.
2. Contractor to provide City with liability insurance in the amount of \$1,000,000.00, naming the City as additionally insured on the policy.
3. Additional signage as directed by City representative shall be required to alleviate any traffic congestion or circulation problems.
4. All paving sections shall receive a minimum of 2" A/C over 6" minimum compacted A.B. (at 95% relative compaction) unless otherwise specified. Existing pavement shall be saw-cut and tacked to receive new pavement.
5. A/C drainage swale shall be maintained along encroachment.
6. Contractor shall call for inspection before paving. All prep work shall be accomplished before inspection.
7. All work done to City Specifications, if any work is done without inspection or approval this permit becomes void and asphalt shall be removed.